

# JARI

---

*A BIKE FOR ROAD, GRAVEL, & TRAILS.*

[FujiBikes.com/Jari](https://FujiBikes.com/Jari)



*THE JARI DELIVERS THEM ALL.*

# Performance, utility, and versatility.

---

Designed to take on gravel races, light touring, bikepacking, racking up the miles on the asphalt or pretty much whatever you can throw at it. Jari is a chameleon that seamlessly changes into whatever you need it to be. Long, slack geometry provides a stable and confidence inspiring ride no matter what the terrain. The journey is the best part of the trip and the Jari is the perfect traveling partner.

# Key Features



## TALL, SLACK HEAD-TUBE AND SEAT-TUBE

angles position rider further back for more vertical compliance and increased stability at higher speeds.



## INTERNAL CABLE ROUTING

ensures optimal shifting, even in nasty elements or when frame bags are used. All models include cable stops for 2x and 1x shifting systems.



## THRU AXLES

on the front and rear increase lateral stiffness and improve braking performance.



## SEATED STAYS

provide vertical compliance and take the sting out of rough roads and trails.



## FLAT MOUNT DISC BRAKES

provide increased stopping power in all weather conditions in a low profile, lightweight package.



## CONVERTIBLE REAR DROPOUT

allows you to change from 142x12 thru axle to 135 QR for use of existing rear wheels



## THREADED BOTTOM BRACKET

provides ease of maintenance and compatibility with many bottom bracket manufacturers



#### OVAL CONCEPTS 725 & 325 HANDLEBARS

Purpose-built for gravel and adventure bikes. Shallow drop and flared to reduce wrist angle. Sized 2cm wider on all Jari models compared to traditional road spec for greater control.



#### FULL CARBON FORK

with tapered steerer tube and internal cable routing



#### 3 WATER BOTTLE MOUNTS

for those extra long days in the saddle



#### HIDDEN FENDER MOUNTS

are there when you need them and invisible when you don't



#### BENTO BOX DIRECT MOUNT

low-profile bento box direct mount on top tube



#### 2MM SILICONE SHOULDER PAD

on the underside of the top tube increases comfort when portaging the bike over unrideable terrain.



#### ROOM FOR MULTIPLE TIRE SIZES

Clearance for up to 700x45c and 650x47c (Road Plus) tires



#### 6 SIZES INSURE A PERFECT FIT

XXS (46cm) / XS (49cm) / S (52cm) / M (54cm)  
L (56cm) / XL (58cm) / XXL (61cm)

# Models

1.1



**MSRP: \$2,949**

**SIZES** XXS (46cm) / XS (49cm) / S (52cm) / M (54cm) / L (56cm) / XL (58cm) / XXL (61cm)

**COLOR(S)** ALUMINUM / GRAYGREEN

**FRAME** A6-SL custom-butted alloy, semi-internal cable routing, flat-mount disc & convertible axle dropout

**FORK** FC-440 Cross carbon monocoque, 12mm thru-axle w/ flat-mount disc tabs, tapered steerer

**CRANKSET** Quarq prime carbon 1x, 42T power ready

**BOTTOM BRACKET** SRAM sealed-BSA thread

**PEDALS** N/A

**REAR DERAILLEUR** SRAM Force 1X, long cage

**SHIFTERS** SRAM Force 1X, hydraulic disc, 11-speed

**CASSETTE** SRAM XD, 10-42T, 11-speed

**CHAIN** KMC X11-1 w/ MissingLink, 11-speed

**WHEELSET** Stan's NoTubes Grail Team, 24/28h, 12mm thru-axle

**TIRES** Clement X'Plor MSO, 700 x 36c, 60tpi, folding

**BRAKESET** SRAM Force, hydraulic disc, 160mm rotors

**BRAKE LEVERS** SRAM Force 1X

**HEADSET** FSA No. 42, 1 1/8" - 1 1/2", integrated cartridge

**HANDLEBAR** Oval Concepts 725, 7050 alloy, 31.8mm clamp, 125mm drop, 25° flare, 4° sweep

**STEM** Oval Concepts 707, 3D-forged 6061 stem body, +/-7°

**TAPE** Oval Concepts 700 bar tape, grip texture & gel backing

**SADDLE** Oval Concepts X38 with pressure relief zone, cromo rail

**SEATPOST** Oval Concepts 905, carbon & alloy, 27.2mm diameter

**WEIGHT** 8.83 kg / 19.47 lbs

1.3



**MSRP: \$1,969**

**SIZES** XXS (46cm) / XS (49cm) / S (52cm) / M (54cm) / L (56cm) / XL (58cm) / XXL (61cm)

**COLOR(S)** SATIN GREEN / CYAN

**FRAME** A6-SL custom-butted alloy, semi-internal cable routing, flat-mount disc & convertible axle dropout

**FORK** FC-440 Cross carbon monocoque, 12mm thru-axle w/ flat-mount disc tabs, tapered steerer

**CRANKSET** FSA Omega Adventure, 48/32T

**BOTTOM BRACKET** FSA sealed-BSA thread

**PEDALS** N/A

**FRONT DERAILLEUR** Shimano 105, 34.9mm clamp

**REAR DERAILLEUR** Shimano 105 GS, 11-speed

**SHIFTERS** Shimano 105 STI, 11-speed

**CASSETTE** Shimano 105, 11-32T, 11-speed

**CHAIN** KMC X11EPT, anti-rust w/ MissingLink, 11-speed

**WHEELSET** Stan's NoTubes Radler, 32/32h, 12mm thru-axle cartridge bearing hubs

**TIRES** Clement X'Plor MSO, 700 x 36c, 60tpi, folding

**BRAKESET** Shimano RS505, hydraulic disc, 160mm rotors

**BRAKE LEVERS** Shimano 105 STI

**HEADSET** FSA No. 42, 1 1/8" - 1 1/2", integrated cartridge

**HANDLEBAR** Oval Concepts 325, 6061 alloy, 31.8mm clamp, 125mm drop, 25° flare, 4° sweep

**STEM** Oval Concepts 313, 3D-forged 6061 stem body, +/-7°

**TAPE** Oval Concepts 300 bar tape, suede

**SADDLE** Oval Concepts 300, cromo rail

**SEATPOST** Oval Concepts 300, 6061 alloy, 27.2mm diameter

**WEIGHT** 9.80kg / 21.56 lbs

1.5



**MSRP: \$1,449**

**SIZES** XXS (46cm) / XS (49cm) / S (52cm) / M (54cm) / L (56cm) / XL (58cm) / XXL (61cm)

**COLOR(S)** PEWTER / RED

**FRAME** A6-SL custom-butted alloy, semi-internal cable routing, flat-mount disc & convertible axle dropout

**FORK** FC-440 Cross carbon monocoque, 12mm thru-axle w/ flat-mount disc tabs, tapered steerer

**CRANKSET** FSA Gossamer Pro 1x, 42T

**BOTTOM BRACKET** FSA sealed-BSA thread

**PEDALS** N/A

**REAR DERAILLEUR** SRAM Rival 1X, long cage

**SHIFTERS** SRAM Rival 1X, 11-speed

**CASSETTE** SRAM PG1130, 11-42T, 11-speed

**CHAIN** KMC X11-1 w/ MissingLink, 11-speed

**WHEELSET** WTB SX19, 32/32h, 12mm thru-axle cartridge bearing hubs

**TIRES** Clement X'Plor USH, 700 x 35c, 60tpi, wire bead

**BRAKESET** TRP Spyre mechanical disc, 160mm rotors

**BRAKE LEVERS** SRAM Rival 1X

**HEADSET** FSA No. 42, 1 1/8" - 1 1/2", integrated cartridge

**HANDLEBAR** Oval Concepts 325, 6061 alloy, 31.8mm clamp, 125mm drop, 25° flare, 4° sweep

**STEM** Oval Concepts 313, 3D-forged 6061 stem body, +/-7°

**TAPE** Oval Concepts 300 bar tape, suede

**SADDLE** Oval Concepts X38 with pressure relief zone, cromo rail

**SEATPOST** Oval Concepts 300, 6061 alloy, 27.2mm diameter

**WEIGHT** 9.40 kg / 20.92 lbs

1.7



**MSRP: \$1,199**

**SIZES** XXS (46cm) / XS (49cm) / S (52cm) / M (54cm) / L (56cm) / XL (58cm) / XXL (61cm)

**COLOR(S)** SATIN GREEN / CYAN

**FRAME** A6-SL custom-butted alloy, semi-internal cable routing, flat-mount disc & convertible axle dropout

**FORK** FC-440 Cross carbon monocoque, QR axle / flat-mount tabs

**CRANKSET** FSA Omega Adventure, 46/30T

**BOTTOM BRACKET** FSA sealed-BSA thread

**PEDALS** N/A

**FRONT DERAILLEUR** Shimano Tiagra, 34.9mm clamp

**REAR DERAILLEUR** Shimano Tiagra GS, 10-speed

**SHIFTERS** Shimano Tiagra STI, 10-speed

**CASSETTE** Shimano HG500, 11-34T, 10-speed

**CHAIN** KMC X10EPT, anti-rust w/ MissingLink, 10-speed

**WHEELSET** WTB SX19, 32/32h, quick release sealed hubs

**TIRES** WTB Riddler, 700 x 37c, 27tpi, wire bead

**BRAKESET** Tektro Lyra mechanical disc

**BRAKE LEVERS** Shimano Tiagra STI

**HEADSET** FSA No. 42, 1 1/8" - 1 1/2", integrated cartridge

**HANDLEBAR** Oval Concepts 325, 6061 alloy, 31.8mm clamp, 125mm drop, 25° flare, 4° sweep

**STEM** Oval Concepts 313, 3D-forged 6061 stem body, +/-7°

**TAPE** Oval Concepts 300 bar tape, suede

**SADDLE** Oval Concepts 300, cromorail

**SEATPOST** Oval Concepts 300, 6061 alloy, 27.2mm diameter

**WEIGHT** 10.29 kg / 22.72 lbs

1.1



**MSRP: \$519**

**SIZES** XXS (46cm) / XS (49cm) / S (52cm) / M (54cm) / L (56cm) / XL (58cm) / XXL (61cm)

**COLOR(S)** ALUMINUM / GRAYGREEN

**FRAME** A6-SL custom-butted alloy, semi-internal cable routing, flat-mount disc & convertible axle dropout


**FORK** FC-440 Cross carbon monocoque, 12mm thru-axle w/ flat-mount disc tabs, tapered steerer

**HEADSET** FSA No. 42, 1 1/8" - 1 1/2", integrated cartridge

**ACCESSORIES** 12mm thru-axle dropout kit, 135mm Quick Release dropout kit, 12 x 100mm front thru axle, 12 x 142mm rear thru axle and seatpost collar.

# Geometry

	FRAME SIZE	XXS(46cm)	XS(49cm)	S(52cm)	M(54cm)	L(56cm)	XL(58cm)	XX-L(61cm)
<b>A</b>	Seat Tube C to T	460	490	520	540	560	580	610
<b>B</b>	Seat Tube Effective	460	490	520	540	560	580	610
<b>C</b>	Top Tube Effective	510	525	535	545	560	575	595
<b>D</b>	Head Tube Length	110	120	140	150	170	190	210
<b>E</b>	Seat Tube Angle / Actual	74.5°	74.5°	74°	73°	73°	72.5°	72.5°
<b>G</b>	Headtube Angle	70.5	70.5	71	71.5	72	72	72
<b>H</b>	Chainstay Length	435	435	435	435	435	435	435
<b>I</b>	Wheelbase	1004	1020	1022	1016	1027	1037	1058
<b>J</b>	BB Drop	69	69	67	67	67	65	65
<b>K</b>	Fork Offset	48	48	48	48	48	48	48
<b>L</b>	Trail	73	73	70	67	64	64	64
<b>M</b>	Stack	532	541	560	572	592	609	628
<b>N</b>	Reach	363	375	375	370	379	383	397
<b>O</b>	Standover	748	767	790	804	824	841	865





Not all those who wander are lost: the Jari pushes that truism to the limit. Conceived to master main roads and backroads, pavement, gravel and singletrack, the Jari will carry you and your gear to the 'X' on that dog-eared map.

Not lost, just on the path less pedaled.



**Browse and download all Jari marketing assets at:**

<https://advancedsports.box.com/s/beqei2d68mdo2wc7bbjthzaaytbdk9z>

**Watch the Jari Video:**

<https://youtu.be/2RKiQRW2wjl>

**For media inquiries, please contact:**

Brian McKinney

[bmckinney@advancedsports.com](mailto:bmckinney@advancedsports.com)

+1-215-824-3854