

# ROCKSHOX PRESS RELEASE



**ACTION IS  
EVERYTHING**



# PIKE

**PRODUCT NAME: PIKE**

**EMBARGO: 04/13/17**

**RETAIL: 04/17**

IN 2013, PIKE  
CREATED A NEW  
CATEGORY OF  
FORKS, AND EVER  
SINCE HAS BEEN  
HAILED AS “THE  
BENCHMARK”.



**SO WHAT DID  
WE NEED TO  
CHANGE ON IT?  
EVERYTHING.  
MEET THE ALL  
NEW PIKE.**



## CHARGER 2 DAMPER

The evolution of the acclaimed Charger, RockShox's most advanced damper, brings a whole new level of performance and refinement for each intended use. The new damper design provides a wider range of low speed compression adjustment in the Open mode, with a more usable Pedal setting that excels on rolling trails. The Firm setting on Pike and Lyrik has been re-tuned, and remote options with OneLoc provide on-the-fly access to the Firm mode and are an excellent match with RockShox Deluxe, Super Deluxe and Super Deluxe Coil remote rear shocks.

Featured on: MY18 Pike, Lyrik



# DEBONAIR

**A larger negative air spring resulting in plusher suspension. An intuition born on RockShox's rear shocks back in 2014 is now a benchmark for superior small bump and traction performance. No longer only reserved to rear shocks, RockShox's DebonAir air springs complement the trail smoothing performance of many forks in our product range. And while incredibly smooth in the first 1/3 of travel, DebonAir forks and shocks still provide the consistent mid-stroke support that riders know and love.**

**Featured on: MY18 Pike, Lyrik, Revelation, Yari**

# THE BENCHMARK, REDEFINED

**Pike has redefined the standard by which all trail and enduro forks are judged, and is poised to keep doing so for many years to come with a completely new chassis, which enables a weight reduction of almost 150g. A new Charger 2 damper is now compatible with RockShox's OneLoc remote for on-the-fly compression adjustments, and a perfect match to Deluxe and Super Deluxe rear shocks. The new DebonAir air spring enhances small bump sensitivity and mid-stroke support. Pike's travel options are up to 160mm for 27.5" and 140mm for 29" with room for tires up to 2.8" on both models.**

## PIKE RCT3 — RCT REMOTE

The new RCT3 Charger 2 damper provides a wider range of low speed compression adjustment in the Open mode, while the Pedal mode has been re-tuned for excellent trail support. The firm setting has also been re-tuned to better match RockShox rear shocks, with OneLoc compatibility which allows on-the-fly suspension control.

Availability: April 2017

MSRP: 875-1000\$, 970-1100€, 825-940£





# PIKE RCT3 — RCT REMOTE

## THINGS TO REMEMBER

**All-new lighter chassis with signature Pike stiffness**

**New Charger 2 damper with OneLoc remote options**

**New DebonAir air spring for increased small bump sensitivity and mid-stroke support**

**2.8" maximum tire compatibility for both 27.5" and 29" models (27.5"x3.0" tires fit in the 29" model)**

**Updated air pressure guide maximizes performance for E-MTB applications**

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**Low speed compression adjustment in open mode**

**RCT3: 3-position compression adjustment (open/pedal/firm)**

**RCT Remote: 2-position compression adjustment (open/firm) via OneLoc remote**

**180mm direct brake mount**

## USAGE

**XC  
TR  
EN  
GR**

## TECHNOLOGIES

CHARGER 2 DAMPER  
ONELOC  
DEBONAIR™  
DUAL POSITION AIR  
BOOST™  
MAXLE ULTIMATE/STEALTH™  
TORQUE CAPS™  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS

## PIKE RC — RC REMOTE

Pike RC features the all-new Charger 2 damper in a mean and lean package, with Pike's trademark stiffness and ride quality. The DebonAir air spring ensures excellent small bump sensitivity and mid-stroke support, and OneLoc remote compatibility pairs excellently with new RockShox rear shocks.

**Availability: OEM only**



# PIKE RC — RC REMOTE

## THINGS TO REMEMBER

**All-new lighter chassis with signature Pike stiffness**

**New Charger 2 damper with OneLoc remote options**

**New DebonAir air spring for increased small bump sensitivity and mid-stroke support**

**2.8" maximum tire compatibility for both 27.5" and 29" models (27.5"x3.0" tires fit in the 29" model)**

**Updated air pressure guide maximizes performance for E-MTB applications**

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**RC: low speed compression adjustment from open to firm**

**RC Remote: 2-position compression adjustment (open/firm) via OneLoc remote**

**180mm direct brake mount**

## USAGE

**XC  
TR  
EN  
GR**

## TECHNOLOGIES

CHARGER 2 DAMPER  
ONELOC  
DEBONAIR™  
DUAL POSITION AIR  
BOOST™  
MAXLE ULTIMATE/STEALTH™  
TORQUE CAPS™  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS

# LYRIK

**PRODUCT NAME: LYRIK**

**EMBARGO: 04/13/17**

**RETAIL: 05/17**

## LYRIK RCT3 — RCT REMOTE

The new Lyrik gets our new Charger 2 damper, which reduces overall weight, increases bump-sensitivity and traction, and reduces the force needed to turn knobs and lock in the best setting for the terrain. And since today's enduro riders demand ultimate pedaling efficiency, the new Lyrik is remote compatible, which allows for on-the-fly compression control.

Availability: May 2017

MSRP: 1030-1180\$, 1145-1310€, 970-1100£



# LYRIK RCT3 — RCT REMOTE

## THINGS TO REMEMBER

**New Charger 2 damper with OneLoc remote options**

**New DebonAir air spring for increased small bump sensitivity and mid-stroke support**

**New Boost only chassis with 2.8" maximum tire compatibility for both 27.5" and 29" models (27.5"x3.0" tires fit in the 29" model)**

**Updated air pressure guide maximizes performance for E-MTB applications**

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**Low speed compression adjustment in open mode**

**RCT3: 3-position compression adjustment (open/pedal/firm)**

**RCT Remote: 2-position compression adjustment (open/firm) via OneLoc remote**

**180mm max travel for both 27.5" and 29" models**

**180mm direct brake mount**

## USAGE

**XC  
TR  
EN  
GR**

## TECHNOLOGIES

CHARGER 2 DAMPER  
ONELOC  
DEBONAIR™  
DUAL POSITION AIR  
BOOST™  
MAXLE ULTIMATE/STEALTH™  
TORQUE CAPS™  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS

## LYRIK RC — RC REMOTE

Simply put, the RockShox Lyrik is an absolute weapon for enduro riders everywhere. It makes more control at higher speeds on big burly terrain not only possible, but also addictive.

Availability: OEM only



# LYRIK RC — RC REMOTE

## THINGS TO REMEMBER

**New Charger 2 damper with OneLoc remote options**

**New DebonAir air spring for increased small bump sensitivity and mid-stroke support**

**New Boost only chassis with 2.8" maximum tire compatibility for both 27.5" and 29" models (27.5"x3.0" tires fit in the 29" model)**

**Updated air pressure guide maximizes performance for E-MTB applications**

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**RC: low speed compression adjustment from open to firm**

**RC Remote: 2-position compression adjustment (open/firm) via OneLoc remote**

**180mm max travel for both 27.5" and 29" models**

**180mm direct brake mount**

## USAGE

**XC  
TR  
EN  
GR**

## TECHNOLOGIES

CHARGER 2 DAMPER  
ONELOC  
DEBONAIR™  
DUAL POSITION AIR  
BOOST™  
MAXLE ULTIMATE/STEALTH™  
TORQUE CAPS™  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS



# REVELATION

**PRODUCT NAME: REVELATION**

**EMBARGO: 04/13/17**

**RETAIL: 05/17**

## REVELATION RC

Revelation has grown. After many years as the original long travel trail fork, the new Revelation is ready to tackle the most demanding trail and enduro rides. The chassis is directly derived from the new Pike, with 35mm upper tubes for unmatched stiffness and to pair with the aggressive look of modern trail and enduro bikes.

Availability: May 2017

MSRP: 650-720\$, 720-800€, 610-680£



# REVELATION RC

## THINGS TO REMEMBER

Completely new 35mm stiff and lightweight chassis derived from Pike (Boost only)

Replaces Yari up to 150mm of travel

New DebonAir air spring for increased small bump sensitivity and mid-stroke support

2.8" maximum tire compatibility for both 27.5" and 29" models (27.5"x3.0" tires fit in the 29" model)

Updated air pressure guide maximizes performance for E-MTB applications

## FEATURES AND BENEFITS

External rebound damping adjustment

Motion Control damper with low speed compression adjustment (open to lock)

OneLoc remote compatible

180mm direct brake mount

## USAGE

**XC**  
**TR**  
**EN**  
**GR**

## TECHNOLOGIES

MOTION CONTROL  
ONELOC  
DEBONAIR™  
BOOST™  
MAXLE ULTIMATE/STEALTH™  
TORQUE CAPS™  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS

# YARI

**PRODUCT NAME: YARI**

**EMBARGO: 04/13/17**

**RETAIL: 05/17**

## YARI RC

Yari brings Lyrik's acclaimed look and proven features, such as the 35mm chassis, Fast Black upper tubes and DebonAir or Dual Position Air™ spring systems, to a wider audience. The refined Motion Control IS damper features Rapid Recovery rebound and its high speed compression circuit is tuned to match the feeling of the Charger damper.

Availability: May 2017

MSRP: 700-780\$, 780-865€, 660-735£



# YARI RC

## THINGS TO REMEMBER

**New DebonAir air spring for increased small bump sensitivity and mid-stroke support**

**New Boost only chassis with 2.8" maximum tire compatibility for both 27.5" and 29" models (27.5"x3.0" tires fit in the 29" model)**

**Updated air pressure guide maximizes performance for E-MTB applications**

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**Motion Control damper with low speed compression adjustment (open to lock)**

**OneLoc remote compatible**

**180mm direct brake mount**

## USAGE

**XC  
TR  
EN  
GR**

## TECHNOLOGIES

**MOTION CONTROL  
ONELOC  
DEBONAIR™  
DUAL POSITION AIR  
BOOST™  
MAXLE ULTIMATE/STEALTH™  
TORQUE CAPS™  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS**

# RS-1

PRODUCT NAME: **RS-1**

EMBARGO: **04/13/17**

RETAIL: **04/17**

## CHARGER 2 – RS-1 AND SID

The evolution of the acclaimed Charger, RockShox's most advanced damper, brings a whole new level of performance and refinement for each intended use, with an XC focused version developed for SID and now also available on RS-1.

The damper design on SID and RS-1 features a Lock mode that is rock-solid for maximum pedaling efficiency. Remote options with OneLoc provide on-the-fly access to the lock and are an excellent match with RockShox Deluxe rear shocks.

Featured on: MY18 RS-1, SID (from MY17 onwards)





## RS-1 RLC

Designed with a cross-country-first focus, riders around the world insisted that the RS-1 had great potential as a trail fork. The new RS-1 spreads its wings with the all new Charger 2 damper™, which provides unmatched-in-class small bump traction and a much more defined lockout — and is available in new 130mm (27.5") travel options.

Availability: April 2017

MSRP: 1680\$, 1865€, 1580£



# RS-1 RLC

---

## THINGS TO REMEMBER

**New Charger 2 damper**

**New 130mm travel option for 27.5" chassis**

**New graphics**

**Updated air pressure guide maximizes performance for E-MTB applications**

---

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**2 position compression (open/lock) with low speed compression adjustment in open mode**

---

## USAGE

**XC  
TR  
EN  
GR**

---

## TECHNOLOGIES

CHARGER 2 DAMPER  
SOLO AIR  
BOOST™  
MAXLE ULTIMATE  
PREDICTIVE STEERING  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS

## RS-1 RL

A quarter-century after revolutionizing the sport of mountain biking with the world's first highly adopted suspension fork, RockShox handed the legendary RS-1 name to a new breed of fork. The new RS-1 RL utilizes the OneLoc remote, making it a perfect match for RockShox Deluxe rear shocks.

**Availability: April 2017**

**MSRP: 1750\$, 1945€, 1650£ (includes OneLoc remote)**



# RS-1 RL

## THINGS TO REMEMBER

**New Charger 2 damper compatible with OneLoc remote**

**New 130mm travel option for 27.5" chassis**

**New graphics**

**Updated air pressure guide maximizes performance for E-MTB applications**

## FEATURES AND BENEFITS

**External rebound damping adjustment**

**2 position compression (open/lock) via OneLoc remote**

## USAGE

**XC  
TR  
EN  
GR**

## TECHNOLOGIES

**CHARGER 2 DAMPER  
ONELOC  
SOLO AIR  
BOOST™  
MAXLE ULTIMATE  
PREDICTIVE STEERING  
SAG GRADIENTS  
AIR GUIDES  
RAPID RECOVERY SYSTEM  
BOTTOMLESS TOKENS**

# ROCKSHOX FORK SPECIFICATIONS

	RS1 RLC	RS1 RL	PIKE RCT3	PIKE RC
<b>TRAVEL</b>	100mm, 120mm, 130mm	100mm, 120mm, 130mm	120-160mm (27.5"), 120-140mm (29")	120-160mm (27.5"), 120-140mm (29")
<b>WHEEL SIZES</b>	27.5", 29"	27.5", 29"	27.5" BOOST™, 29" BOOST™	27.5" BOOST™, 29" BOOST™
<b>WEIGHT</b>	1573g based on 27.5" model, 120mm travel, 15x110 PS Maxle Ultimate, tapered carbon steerer, Solo Air™	1573g based on 27.5" model, 120mm travel, 15x110 PS Maxle Ultimate, tapered carbon steerer, Solo Air™	1841g based on 27.5" model, 140mm travel, 15x110 Maxle Ultimate, tapered AL steerer, DebonAir™	1834g based on 27.5" model, 140mm travel, 15x110 Maxle Ultimate, tapered AL steerer, DebonAir™
<b>DAMPING</b>	New Charger™ 2 Damper	New Charger™ 2 Damper with OneLoc remote	New Charger™ 2 Damper with OneLoc remote options	New Charger™ 2 Damper with OneLoc remote options
<b>AVAILABLE SPRING</b>	Solo Air™	Solo Air™	DebonAir™, Dual Position Air	DebonAir™, Dual Position Air
<b>ADJUSTMENT</b>	External rebound, 2 position (open/lock) w/ compression adjust	External rebound, 2 position remote compression (open/lock)	External rebound, low speed compression, 3 position compression (open/pedal/firm)	External rebound, low speed compression to firm
<b>STEERER</b>	Tapered carbon	Tapered carbon	Tapered aluminum	Tapered aluminum
<b>CROWN</b>	Hollow, 1 piece carbon fiber crown and tapered steerer	Hollow, 1 piece carbon fiber crown and tapered steerer	Forged, hollow 7050 aluminum	Forged, hollow 7050 aluminum
<b>UPPER TUBES</b>	32mm straight wall aluminum	32mm straight wall aluminum	35mm tapered wall aluminum	35mm tapered wall aluminum
<b>LOWERS</b>	n/a	n/a	Magnesium, BOOST™ 15x110mm	Magnesium, BOOST™ 15x110mm
<b>MAXLE</b>	Maxle Ultimate	Maxle Ultimate	Maxle Ultimate, Maxle Stealth	Maxle Ultimate, Maxle Stealth
<b>MIN ROTOR SIZE</b>	160mm	160mm	180mm	180mm
<b>COLOR OPTIONS</b>	Diffusion Black, Gloss Black, Gloss White	Diffusion Black, Gloss Black, Gloss White	Diffusion Black, Gloss Black, Gloss White	Diffusion Black, Gloss Black, Gloss White
<b>FORK OFFSET</b>	42mm, 51mm	42mm, 51mm	46mm, 51mm	46mm, 51mm
<b>TECHNOLOGIES</b>	Air Guides™, Bottomless Tokens, Charger™ 2 Damper, Maxle Ultimate, PREDICTIVE STEERING™, Rapid Recovery System, Sag Gradients, Solo Air™	Air Guides™, Bottomless Tokens, Charger™ 2 Damper, Maxle Ultimate, PREDICTIVE STEERING™, Rapid Recovery System, Sag Gradients, Solo Air™	Air Guides™, BOOST™, Bottomless Tokens, Charger™ 2 Damper, DebonAir™, Dual Position Air, Maxle Ultimate, Maxle Stealth, Rapid Recovery System, Sag Gradients, Torque Caps	Air Guides™, BOOST™, Bottomless Tokens, Charger™ 2 Damper, DebonAir™, Dual Position Air, Maxle Ultimate, Maxle Stealth, Rapid Recovery System, Sag Gradients, Torque Caps

# ROCKSHOX FORK SPECIFICATIONS

	REVELATION RC	LYRIK RCT3	LYRIK RC	YARI RC
<b>TRAVEL</b>	120-160mm (27.5"), 120-140mm (29")	150mm, 160mm, 170mm, 180mm	150mm, 160mm, 170mm, 180mm	100mm, 110mm, 120mm, 130mm, 140mm, 150mm, 160mm, 170mm, 180mm
<b>WHEEL SIZES</b>	27.5" BOOST™, 29" BOOST™	27.5" BOOST™, 29" BOOST™	27.5" BOOST™, 29" BOOST™	27.5" BOOST™, 29" BOOST™
<b>WEIGHT</b>	1951g based on 27.5" model, 140mm travel, 15x110 Maxle Lite, tapered AL steerer, DebonAir™	2040g based on 27.5" model, 160mm travel, 15x110 Maxle Ultimate, tapered AL steerer, DebonAir™	2034g based on 27.5" model, 160mm travel, 15x110 Maxle Ultimate, tapered AL steerer, DebonAir™	2123g based on 27.5" model, 160mm travel, 15x110 Maxle Ultimate, tapered AL steerer, DebonAir™
<b>DAMPING</b>	Motion Control™, Damper Adjust -Crown-OneLoc™ remote	New Charger™ 2 Damper with OneLoc remote options	New Charger™ 2 Damper with OneLoc remote options	Motion Control™
<b>AVAILABLE SPRING</b>	DebonAir™	DebonAir™, Dual Position Air	DebonAir™, Dual Position Air	DebonAir™, Dual Position Air
<b>ADJUSTMENT</b>	External rebound, low speed compression to lock	External rebound, low speed compression, 3 position compression (open/pedal/firm)	External rebound, low speed compression to firm	External rebound, low speed compression
<b>STEERER</b>	Tapered aluminum	Tapered aluminum	Tapered aluminum	Tapered aluminum
<b>CROWN</b>	Forged, hollow aluminum	Forged, hollow 7050 aluminum	Forged, hollow 7050 aluminum	Forged, hollow 7050 aluminum
<b>UPPER TUBES</b>	35mm straight wall aluminum	35mm tapered wall aluminum	35mm tapered wall aluminum	35mm tapered wall aluminum
<b>LOWERS</b>	Magnesium, BOOST™ 15x110mm	Magnesium, BOOST™ 15x110mm	Magnesium, BOOST™ 15x110mm	Magnesium, BOOST™ 15x110mm
<b>MAXLE</b>	Maxle Lite, Maxle Ultimate	Maxle Ultimate, Maxle Stealth	Maxle Ultimate, Maxle Stealth	Maxle Ultimate, Maxle Stealth
<b>MIN ROTOR SIZE</b>	180mm	180mm	180mm	180mm
<b>COLOR OPTIONS</b>	Diffusion Black, Gloss Black, Gloss White	Diffusion Black, Gloss Black, Gloss White	Diffusion Black, Gloss Black, Gloss White	Diffusion Black, Gloss Black, Gloss White
<b>FORK OFFSET</b>	46mm, 51mm	46mm, 51mm	46mm, 51mm	46mm, 51mm
<b>TECHNOLOGIES</b>	Air Guides™, BOOST™, Bottomless Tokens, DebonAir™, Motion Control™, Maxle Lite™, Power Bulge™, Rapid Recovery System, Sag Gradients, Torque Caps	Air Guides™, BOOST™, Bottomless Tokens, Charger™ 2 Damper, DebonAir™, Dual Position Air, Maxle Ultimate, Maxle Stealth, Rapid Recovery System, Sag Gradients, Torque Caps	Air Guides™, BOOST™, Bottomless Tokens, Charger™ 2 Damper, DebonAir™, Dual Position Air, Maxle Ultimate, Maxle Stealth, Rapid Recovery System, Sag Gradients, Torque Caps	Air Guides™, BOOST™, Bottomless Tokens, DebonAir™, Dual Position Air, Motion Control™, Maxle Ultimate, Maxle Stealth, Rapid Recovery System, Sag Gradients, Torque Caps

**THANK YOU.**

**ACTION IS  
EVERYTHING**



NORTH AMERICA | SOUTH AMERICA | OCEANIA | ASIA

**DUNCAN RIFFLE**

**driffle@sram.com**

**805-259-6906**

GERMANY | AUSTRIA | SWITZERLAND | ITALY | BENELUX | EASTERN EUROPE

**FRANK RIPPER**

**fripper@sram.com**

**+49 172-6609612**

UNITED KINGDOM

**ALEX RAFFERTY**

**arafferty@sram.com**

**+44 7710 776263**

FRANCE | SPAIN | PORTUGAL

**ALTINO LOURENCO**

**alourenco@sram.com**

**+33 674526533**

CHINA

**KENNETH XU**

**kxu@sram.com**

**+86 159-2292-2133**

**ACTION IS  
EVERYTHING**

**ROCK  
SHOX**